

HALLMARK INTERNATIONAL GROUP LIMITED


Contact person: Tina Gao
MOBILE: 0086-13775170893
E-mail: Tina@hallmarkleader.com

Contact person: Alexander Wang
MOBILE: 0086-13685277127
E-mail: Alexander@hallmarkleader.com

[Http://www.hallmarkleader.org](http://www.hallmarkleader.org)
[Http://www.hallmarkleader.net](http://www.hallmarkleader.net)
[Http://www.hallmarkleader.com](http://www.hallmarkleader.com)
ADD: ChangZhou City, JiangSu Province, China.

Contact person: William Lu
MOBILE: 0086-18861411873
E-mail: yuanfong02@yahoo.com

Contact person: Maria Ma
MOBILE: 0086-13861056568
E-mail: sales2@hallmarkleader.com



**PROFESSIONAL
WOOD WORKING
MACHINE MANUFACTURE AND
PROJECT SOLUTIONS**



HALLMARK INTERNATIONAL GROUP LIMITED





What we can Provide:

1. HPL/Compact Production Line
2. MDF/PB/OSB Production Line
3. Short Cycle Press Line
4. Plywood Production Line
5. Paper Impregnation Line
6. SPC/Laminate Flooring Production Line
7. Other related machines, spare parts and services

ABOUT US



Based on  **ECCOR** / 贝高智能 /  **RIGO**, We have Strong manufacturing capabilities and technical team collaboration.

HALLMARK is a Wood Industry manufacturer specializing in research and development, production, sales and service, with its own factory and extensive experience in manufacturing large production lines. Products are sold to Russia, Turkey, Egypt, Algeria, South Africa, Iran, India, Malaysia, Vietnam, the United States and other countries around the world.

We can provide one-stop supply and service, from the raw materials to machine design, production, installation, commissioning, staff training, and after-sales service, also provide the turnkey solution. To provide customers with high-quality products, reasonable prices, timely and professional services to meet the various needs of customers.

What we can service:

Training/Materials

We can provide 3 months to 3 years of production training and provide the most cost-effective raw materials.

MANUFACTURING STRENGTH



ENTERPRISE QUALIFICATION



CE ISO




PROFESSIONAL SERVICES



DESIGN STRENGTH



LAMINATE FLOORING PRODUCTION PROCESS



1. Hot press machine for lamination
2. Cutting machine
3. Double end tenoner machine
4. V groove painting machine (optional)
5. Wax sealing machine
6. Packing machine
7. Automatic stacking machine (optional)

Lock Click System

The click system style is optional

Double click



Single click




Arc click



Unilin click



Valinge click



AUTOMATIC 45/60 FISH-BONE DOUBLE END TENONER

This Automatic 45/60 Fish-bone Double End Tenoner Machine is mainly applicable to the continuous production of solid wood floor,laminate floor and engineered floor, advanced design, simple structure, easy operation and intensive automation .

It can process 45 , 60 degree special angle diamond floor,and also can do the regular floor with 90°angle.

The 45/60 degree double end tenoner is a high precision double-chain track synchronous continuous feeding method. After manual loading in the front-end floor stock bin,the floor is transported into the processing stations of the grooving machine by the conveyor chain at a set angle.



DUST EXTRACTION LINE


It is used for collecting and handling all kinds of dust from double end tenoner and multi rip saw machine,or other equipment.

Dust Extraction System careful attrntion to housing design details,such as inlet and outlet prorortions, collecting tube spacing and dust discharge boot design,assures uniform gas distributionand poper flow to each individual collecting tube for maximum design efficiency.



ACCESSORIES OF FLOORING

Saw blade and profile tools



Chain and chain pad for double end tenoner

